

BIDS & AWARDS COMMITTEE SPECIAL MEETING FOR THE DECLARATION OF THE LOWEST CALCULATED AND RESPONSIVE BID AND ITS RECOMMENDING APPROVAL

**Resolution No. GS2025-094
 Series of 2025.**

WHEREAS, the Rizal Provincial Government advertised the Invitation to Bid (IB) for the Supply and Delivery of Medical Oxygen, Refill for the use of hospitals under the Rizal Provincial Hospital System (RPHS), which was posted in the Philippine Government Electronic Procurement System (PhilGEPS), LGU website and in three (3) conspicuous places, to wit: at the lobby of the Rizal Provincial Government Capitol Bldg., RPHS – Morong and RPHS - Angono for the period covered from 27 November 2025 to 16 December 2025 in compliance with RA 12009, An Act Revising RA 9184 otherwise known as Government Procurement Reform Act and for other Purposes and its 2025 Implementing Rules and Regulation (IRR);

WHEREAS, the Approved Budget for the Contract (ABC) as stated in the IB is Thirty Two Million Pesos (₱ 32,000,000.00);

WHEREAS, in response to the said advertisement, four (4) suppliers/contractors purchased bid documents and submitted its bid, they were MA Industrial Gas and Air Production, Caloocan Gas Corp., Jem Gas Trading Inc., and Fine Quali Gas Corp.;

WHEREAS, the bidders' technical component of the bid, including the eligibility requirements were submitted on 17 December 2025. MA Industrial Gas and Air Production, Caloocan Gas Corp., and Jem Gas Trading Inc. were able to satisfy the requirements to participate. However, Fine Quali Gas Corp. failed to submit its Certificate of Product Registration. Hence, applying the pass/fail criteria, Fine Quali Gas Corp. was declared disqualified to participate in the activity;

WHEREAS, the bidder's financial component of the bid was found to be substantially complying;

Name of Bidder	Bid Amount (as read)	Cylinder Type	% Variance from ABC
Jem Gas Trading Inc.	₱ 15,327,058.50	50 lbs & 20 lbs per cylinder	52.10 %
MA Industrial Gas and Air Production	₱ 18,310,950.00		42.78 %
Caloocan Gas Corp	₱ 22,963,503.50		28.24 %

WHEREAS, the detailed evaluation of the bid conducted after the opening of bid resulted in the following:

Name of Bidder	Bid Amount (as read)	Cylinder Type	% Variance from ABC
Jem Gas Trading Inc.	₱ 15,327,058.50	50 lbs & 20 lbs per cylinder	52.10 %
MA Industrial Gas and Air Production	₱ 18,310,950.00		42.78 %

WHEREAS, upon careful scrutiny and evaluation of the submitted bid proposal, it was found out that Jem Gas Trading Inc. appears to be the lowest calculated bid for the Supply and Delivery of Medical Oxygen, Refill, in the amount of Fifteen Million Three Hundred Twenty Seven Thousand Fifty Eight Pesos and Fifty Centavos (₱ 15,327,058.50);

WHEREAS, upon careful examination, validation and verification of the requirements, to wit: the technical component including the eligibility requirements and financial component of the bid submitted by the bidder, the documents passed the post-qualification conducted after the bid evaluation and such has been found to be responsive;


NOW THEREFORE, WE, the members of the Bids & Awards Committee, hereby **RESOLVE** as it is hereby **RESOLVED** the following:


1. **TO DECLARE JEM GAS TRADING INC.** as the bidder with the lowest calculated and responsive bid for the **Supply and Delivery of Medical Oxygen, Refill** in the amount of **Fifteen Million Three Hundred Twenty Seven Thousand Fifty Eight Pesos and Fifty Centavos (₱ 15,327,058.50)**; and,
2. **TO RECOMMEND** for approval by the Honorable Governor of the Rizal Provincial Government the foregoing findings.


UNANIMOUSLY APPROVED this 22nd day of December 2025, at the City of Antipolo, Province of Rizal.


RECOMMENDING APPROVAL:


Engr. LUISITO E. MUNSOD
Chairman
Bids and Awards Committee


Atty. ERICA T. GATAN
Provincial Administrator
BAC Vice- Chairman


Atty. GEORGE MATTHEW T. HABACON
Provincial Legal Officer
BAC Member


Arch. HERBERT V. JOSE, En.P.
OIC – PPDO
BAC Member


JOSEPH G. CENIDOZA
Provincial Assessor
BAC Member

APPROVED: